

# **Whole body vibration and low back pain**

## **First update**

By

WorkSafeBC Evidence-Based Practice Group

***Dr. Craig W. Martin, Senior Medical Advisor***

*September 2008*

# Whole body vibration and low back pain

## First update

### Question

Is there any causal association between whole body vibration and low back pain?

### Methods

- In 2001, WorkSafeBC commissioned a systematic review to investigate the causal association between low back pain and whole body vibration.<sup>(133)</sup> This comprehensive systematic review concluded that there was insufficient evidence to conclude that whole body vibration (WBV) is causally associated with low back pain (LBP) in the workplace. The author of this systematic review further concluded that potential causes of LBP were multi factorial in nature and that the exact nature of this relationship was not understood at that time. This 2001 systematic review on WBV and LBP is available for download from:  
[http://www.worksafebc.com/health\\_care\\_providers/Assets/PDF/whole\\_body\\_vibration\\_low\\_back\\_pain.pdf](http://www.worksafebc.com/health_care_providers/Assets/PDF/whole_body_vibration_low_back_pain.pdf)
- In order to investigate the causal association between WBV and LBP, the Evidence-Based Practice Group (EBPG) has updated the 2001 systematic review.
  - A systematic literature search was performed on June 7, 2008. The search was done on commercial databases including MEDLINE, MEDLINE Daily Update, BIOSIS Previews and EMBASE, which are available through the OVID system.
  - The search employed the keywords: ((whole body vibration OR wbv OR vibration) AND (low back pain OR sciatica OR lumbago OR lumbar OR degenerative disc disease\* OR spondylosis OR spondylolisthesis).
  - Limitations put in place during this search were: the article (at least the abstract) published in the English language, human studies, and articles published between 2002-2008. Those non-English articles found were included in further analysis if the abstracts provided enough information for further appraisal.
  - After removing duplicates (i.e. same articles listed in different databases), 130 articles were identified.<sup>(1-130)</sup>
  - Upon examination of the titles and abstracts of these 130 articles, 35<sup>(2,3,4,9-12,15,16,25,29,30,51,62,68,73,74,76,88-93,97,99,105,108,111,115,123-125,127,130)</sup> articles were retrieved in full for further appraisal.
- A method of examining causal association in epidemiological studies as outlined in the previous EBPG paper<sup>(131)</sup> was applied in order to investigate the causal association between WBV and LBP.

This method relies heavily on the causal association criteria in epidemiological studies proposed by Sir Bradford Hill.<sup>(132)</sup> These criteria include assessing the size of the association (as measured by relative risk, odds ratio or attributable risk), dose response relationship, temporality (i.e. does the exposure precede the effect), consistency (across different studies, times, and places), biological plausibility, specificity (between exposure and outcome of interest), and coherence. We do not include experimental data (from a randomized controlled trial) as one of the criteria since it may not be ethical to conduct such a study with potential harm.

## Results

- Of these 35<sup>(2,3,4,9-12,15,16,25,29,30,51,62,68,73,74,76,88-93,97,99,105,108,111,115,123-125,127,130)</sup> articles:
  - There were 3<sup>(73,124,125)</sup> systematic reviews (level of evidence 1)
  - One<sup>(4)</sup> was a case-control study (level of evidence 3)
  - Fourteen<sup>(2,3,16,51,62,68,88,89,90,91,99,105,115,130)</sup> were cross sectional studies (level of evidence 4). Three articles<sup>(88,89,90)</sup> were published by the same principal author and presented the same data. As such, these 3 studies were considered as one.
  - Nine<sup>(10,11,12,15,76,92,93,108,123)</sup> articles were expert opinions/reviews (level of evidence 5)
  - Eight<sup>(9,10,29,30,74,97,111,127)</sup> were cross sectional studies in the form of laboratory experiments, vibration measurements, and disease and exposure modelling. These studies will not be discussed further since they did not provide any data relevant to assessing causal association between WBV and LBP.
- Systematic reviews:
  - Lis et al.<sup>(73)</sup> conducted a systematic review investigating the association between sitting and the presence of LBP. The review was restricted to occupations that require sitting for more than half of working time and where workers have physical co-exposure factors including awkward posture and WBV. There were 25 primary studies included in this review. The authors concluded that sitting alone was not associated with the risk of developing LBP. However, when co-exposure factors of WBV and awkward posture were added, the authors found a four-fold increase in the prevalence of LBP. The occupational group that was associated with LBP was helicopter pilots (odds ratio (OR) 9.0, 95% confidence interval (CI) 4.9-16.4). The authors concluded that of the risk factors being investigated, a combination of sitting with WBV and awkward posture was the one interaction of risk factors associated with an increase in the prevalence of LBP. It should be noted that the primary studies included in this systematic review were cross sectional in nature with associated biases (including exposure measurement and selection biases) that were not taken into account. Further, these primary studies cannot provide any evidence on the existence of temporality between exposure and disease occurrence.
  - Waters et al.<sup>(124)</sup> conducted a systematic review investigating the association between heavy equipment vehicles and the development of musculoskeletal disorders, particularly the association between WBV and working posture with lower back and neck disorders. Eighteen primary studies were included in this review. The authors

reported that the quality of primary studies included in this systematic review were marginal to average (these studies were cross sectional in nature). With regard to LBP, the authors concluded that drivers of heavy equipment vehicles had twice the risk compared to those who were not exposed to heavy equipment vehicles. The authors strongly suggested the deployment of prospective cohort studies to investigate this association as well as studies to investigate the biological plausibility of this association. It should be noted that this systematic review cannot provide definitive evidence on the causal association between WBV and LBP, not only due to the lack of temporality underlying the primary studies included in this systematic review, but also due to various unaccounted biases threatening the validity of the positive association observed in the primary studies (cross sectionals).

- The third systematic review was also conducted by Waters et al.<sup>(125)</sup> The purpose of this systematic review was to investigate the relative contribution of transient mechanical shock (i.e. jarring and jolting, high acceleration events, multiple shocks) as opposed to the steady state of vibration exposure. This mechanical shock is generated by travel over obstacles or uneven terrain. Eight laboratory experimental and nine epidemiological studies were included in this review. Although the authors concluded that these studies suggested that rough vehicle rides were prevalent and that repeated exposure to mechanical shock might increase the risk of LBP, the authors also acknowledged that the primary studies included in this review, which were cross sectional in nature, failed to take into account confounding factors such as sitting for long hours, lifting heavy loads, and/or smoking.
- It should be noted that in these three systematic reviews, the authors did not take into account the differences in the criteria used to define low back pain in the primary studies.
- Case-control study:
  - Battie et al.<sup>(4)</sup> conducted a case-control study investigating the effect of lifetime driving exposure and lumbar disc degeneration. The study participants were 45 male monozygotic twin pairs who had greatly different patterns of occupational driving during their lives. After controlling for various potential confounders, the authors found that there was no difference with regard to disc degeneration among monozygotic twin pairs who were exposed to occupational driving and those who were not. In the absence of prospective cohort or randomized/controlled trials, it should be noted that this is perhaps the strongest study design to-date in investigating the causal association between WBV and LBP (in the form of degenerative disc disease).
- Cross sectional studies:
  - Even though almost all of the cross sectional studies concluded that there was a positive association between WBV and the development of LBP, three<sup>(91,99,105)</sup> of these studies did not find such an association (two<sup>(91,99)</sup> were better quality studies). Regardless of the findings of these cross sectional studies, it is difficult to employ the data provided from these studies to assess causal association, not only because these studies investigated symptoms defined in different ways, but most importantly, because of potential

unaccounted biases (selection, measurement of exposure and outcome) and confounders (especially the unknown ones, since to this date the pathophysiology of LBP is still not clear). Further, temporal association between exposure to WBV and the development of LBP cannot be elucidated from this data.

## Summary and Conclusions

- The 2001 systematic review commissioned by WorkSafeBC to investigate the causal association between WBV and LBP concluded that there was insufficient evidence to establish that WBV was causally associated with LBP in the workplace.
- Even though this first update identified 15 new primary studies investigating the association between WBV and LBP, these studies did not provide new evidence supporting change to the conclusion of the 2001 systematic review. Fourteen of these studies were cross sectional in nature, meaning issues of bias and confounding cannot be discounted in the associations observed in these studies. The strongest study with regard to design, a case-control study among monozygotic twins, concluded that there was no association between occupational driving and the development of degenerative disc disease.
- Systematic reviews identified in this update concluded that there may be an association between WBV and LBP. However, these systematic reviews were also based on cross sectional studies in which issues of bias and confounding are most likely affecting the outcome.

## References

1. Amoiridis, G.; Ameridou, I., and Mavridis, M. Intervertebral disk and vertebral body infarction as a confirmatory sign of spinal cord ischemia. *Neurology*. 63(9)(pp 1755), 2004.
2. Aydog, S. T.; Turbedar, E.; Demirel, A. H.; Tetik, O.; Akin, A., and Doral, M. N. Cervical and lumbar spinal changes diagnosed in four-view radiographs of 732 military pilots. *Aviation Space & Environmental Medicine*. 75(2):154-7, 2004 Feb.
3. Barrero, L. H.; Hsu, Y. H.; Terwedow, H.; Perry, M. J.; Dennerlein, J. T.; Brain, J. D., and Xu, X. Prevalence and physical determinants of low back pain in a rural Chinese population. *Spine*. 31(23):2728-34, 2006 Nov 1.
4. Battie, M. C.; Videman, T.; Gibbons, L. E.; Manninen, H.; Gill, K.; Pope, M., and Kaprio, J. Occupational driving and lumbar disc degeneration: a case-control study. *Lancet*. 360(9343):1369-74, 2002 Nov 2.
5. Begemann, M.; Rosenblum M.K.; Loh, J.; Kraus, D., and Raizer J.J. Leptomeningeal metastases from recurrent squamous cell cancer of the skin. *Journal of Neuro-Oncology*. 63(3)(pp 295-298), 2003.
6. Belavy, D. L.; Hides, J. A.; Wilson, S. J.; Stanton, W.; Dimeo, F. C.; Rittweger, J.; Felsenberg, D., and Richardson, C. A. Resistive simulated weightbearing exercise with whole body vibration reduces lumbar spine deconditioning in bed-rest. *Spine*. 33(5):E121-31, 2008 Mar 1.
7. Bertagnoli, R.; Yue, J. J.; Nanieva, R.; Fenk-Mayer, A.; Husted, D. S.; Shah, R. V., and Emerson, J. W. Lumbar total disc arthroplasty in patients older than 60 years of age: a prospective study of the ProDisc prosthesis with 2-year minimum follow-up period. *Journal of Neurosurgery Spine*. 4(2):85-90, 2006 Feb.
8. Blacker D.J.; Wijdicks E.F.M., and Ramakrishna, G. Resolution of severe paraplegia due to aortic dissection after CSF drainage. *Neurology*. 61(1)(pp 142-143), 2003.
9. Bonney R.A. and Corlett E.N. Vibration and spinal lengthening in simulated vehicle driving. *Applied Ergonomics*. 34(2)(pp 195-200), 2003.
10. Bovenzi, M. Criteria for case definitions for upper limb and lower back disorders caused by mechanical vibration. *Medicina del Lavoro*. 98(2):98-110, 2007 Mar-Apr.
11. Bovenzi, M. Health effects of mechanical vibration. *Giornale Italiano di Medicina del Lavoro Ed Ergonomia*. 27(1):58-64, 2005 Jan-Mar.
12. Bovenzi, M. Health risks from occupational exposures to mechanical vibration. *Medicina del Lavoro*. 97(3):535-41, 2006 May-Jun.
13. Brumagne, S.; Cordo, P., and Verschueren, S. Proprioceptive weighting changes in persons with low back pain and elderly persons during upright standing. *Neuroscience Letters*. 366(1):63-6,

2004 Aug 5.

14. Bussemaker, L.; Schelhaas H.J.; Overeem, S.; Hopman W.P.M., and Zwarts M.J. Treatment-responsive pudendal dysfunction in chronic inflammatory demyelinating polyneuropathy. *Neurology*. 68(12)(pp 957-958), 2007.
15. Cardinale, M. and Pope, M. H. The effects of whole body vibration on humans: dangerous or advantageous? *Acta Physiologica Hungarica*. 90(3):195-206, 2003.
16. Chen, J. C.; Chang, W. R.; Chang, W., and Christiani, D. Occupational factors associated with low back pain in urban taxi drivers. *Occupational Medicine*. 55(7):535-40, 2005 Oct.
17. Chen, J. C.; Chang, W. R.; Shih, T. S.; Chen, C. J.; Chang, W. P.; Dennerlein, J. T.; Ryan, L. M., and Christiani, D. C. Predictors of whole-body vibration levels among urban taxi drivers. *Ergonomics*. 46(11):1075-90, 2003 Sep 15.
18. Chen, J. C.; Chang, W. R.; Shih, T. S.; Chen, C. J.; Chang, W. P.; Dennerlein, J. T.; Ryan, L. M., and Christiani, D. C. Using exposure prediction rules for exposure assessment: an example on whole-body vibration in taxi drivers. *Epidemiology*. 15(3):293-9, 2004 May.
19. Chen, J. C.; Dennerlein, J. T.; Chang, C. C.; Chang, W. R., and Christiani, D. C. Seat inclination, use of lumbar support and low-back pain of taxi drivers. *Scandinavian Journal of Work, Environment & Health*. 31(4):258-65, 2005 Aug.
20. Cheung, J. T.; Zhang, M., and Chow, D. H. Biomechanical responses of the intervertebral joints to static and vibrational loading: a finite element study. *Clinical Biomechanics*. 18(9):790-9, 2003 Nov.
21. Cohen, S. P.; Larkin, T. M.; Barna, S. A.; Palmer, W. E.; Hecht, A. C., and Stojanovic, M. P. Lumbar discography: a comprehensive review of outcome studies, diagnostic accuracy, and principles. *Regional Anesthesia & Pain Medicine*. 30(2):163-83, 2005 Mar-Apr.
22. Connell, K.; Guess, M. K.; Bleustein, C. B.; Powers, K.; Lazarou, G.; Mikhail, M., and Melman, A. Effects of age, menopause, and comorbidities on neurological function of the female genitalia. *International Journal of Impotence Research*. 17(1):63-70, 2005 Jan-Feb.
23. Conza, N. E.; Rixen, D. J., and Plomp, S. Vibration testing of a fresh-frozen human pelvis: the role of the pelvic ligaments. *Journal of Biomechanics*. 40(7):1599-605, 2007.
24. Cooper, R. A.; Wolf, E.; Fitzgerald, S. G.; Kellerher, A.; Ammer, W.; Boninger, M. L., and Cooper, R. Evaluation of selected sidewalk pavement surfaces for vibration experienced by users of manual and powered wheelchairs. *Journal of Spinal Cord Medicine*. 27(5):468-75, 2004.
25. de Oliveira, C. G. and Nadal, J. Back muscle EMG of helicopter pilots in flight: effects of fatigue, vibration, and posture. *Aviation Space & Environmental Medicine*. 75(4):317-22, 2004 Apr.
26. DiGiovine, C. P.; Cooper, R. A.; Wolf, E.; Fitzgerald, S. G., and Boninger, M. L. Analysis of whole-body vibration during manual wheelchair propulsion: a comparison of seat cushions and back supports for individuals without a disability. *Assistive Technology*. 15(2):129-44, 2003.

27. Fontana, T. L.; Richardson, C. A., and Stanton, W. R. The effect of weight-bearing exercise with low frequency, whole body vibration on lumbosacral proprioception: a pilot study on normal subjects. *Australian Journal of Physiotherapy*. 51(4):259-63, 2005.
28. Freynhagen, R.; Rolke, R.; Baron, R.; Tolle, T. R.; Rutjes, A. K.; Schu, S., and Treede, R. D. Pseudoradicular and radicular low-back pain--a disease continuum rather than different entities? Answers from quantitative sensory testing. *Pain*. 135(1-2):65-74, 2008 Mar.
29. Fritz, M.; Fischer, S., and Brode, P. Vibration induced low back disorders--comparison of the vibration evaluation according to ISO 2631 with a force-related evaluation. *Applied Ergonomics*. 36(4):481-8, 2005 Jul.
30. Funakoshi, M.; Taoda, K.; Tsujimura, H., and Nishiyama, K. Measurement of whole-body vibration in taxi drivers. *Journal of Occupational Health*. 46(2):119-24, 2004 Mar.
31. Futatsuka, M.; Shono, M.; Sakakibara, H., and Quan P.Q. Hand arm vibration syndrome among quarry workers in Vietnam. *Journal of Occupational Health*. 47(2)(pp 165-170), 2005.
32. Garg, A.; Gerr, F.; Katz J.N.; Marras W.S., and Silverstein, B. Low back pain and the workplace [6]. *Journal of the American Medical Association*. 298(4)(pp 403-404), 2007.
33. Gijbels, F.; Jacobs, R.; Princen, K.; Nackaerts, O., and Debruyne, F. Potential occupational health problems for dentists in Flanders, Belgium. *Clinical Oral Investigations*. 10(1):8-16, 2006 Mar.
34. Gilsanz, V.; Wren, T. A.; Sanchez, M.; Dorey, F.; Judex, S., and Rubin, C. Low-level, high-frequency mechanical signals enhance musculoskeletal development of young women with low BMD. *Journal of Bone & Mineral Research*. 21(9):1464-74, 2006 Sep.
35. Gotuzzo, E.; Cabrera, J.; Daze, L.; Verdonck, K.; Vandamme A.-M.; Cairampoma, R.; Vizcarra, D.; Cabada, M.; Narvarte, G., and De Las Casas, C. Clinical characteristics of patients in Peru with human T cell lymphotropic virus type 1-associated tropical spastic paraparesis. *Clinical Infectious Diseases*. 39(7)(pp 939-944), 2004.
36. Guo, L. X. and Teo, E. C. Influence prediction of injury and vibration on adjacent components of spine using finite element methods. *Journal of Spinal Disorders & Techniques*. 19(2):118-24, 2006 Apr.
37. Guo, L. X. and Teo, E. C. Prediction of the modal characteristics of the human spine at resonant frequency using finite element models. *Proceedings of the Institution of Mechanical Engineers. Part H - Journal of Engineering in Medicine*. 219(4):277-84, 2005 Jul.
38. Guo, L. X.; Teo, E. C.; Lee, K. K., and Zhang, Q. H. Vibration characteristics of the human spine under axial cyclic loads: effect of frequency and damping. *Spine*. 30(6):631-7, 2005 Mar 15.
39. Guo, L. X.; Zhang, M., and Teo, E. C. Influences of denucleation on contact force of facet joints under whole body vibration. *Ergonomics*. 50(7):967-78, 2007 Jul.
40. Guo, L. X.; Zhang, M.; Wang, Z. W.; Zhang, Y. M.; Wen, B. C., and Li, J. L. Influence of anteroposterior shifting of trunk mass centroid on vibrational configuration of human spine.

- Computers in Biology & Medicine. 38(1):146-51, 2008 Jan.
41. Gusi, N.; Raimundo, A., and Leal, A. Low-frequency vibratory exercise reduces the risk of bone fracture more than walking: A randomized controlled trial. *BMC Musculoskeletal Disorders*. 7, 2006. Article Number: 92.
  42. Hancock, M. J.; Maher, C. G.; Latimer, J.; Spindler, M. F.; McAuley, J. H.; Laslett, M., and Bogduk, N. Systematic review of tests to identify the disc, SIJ or facet joint as the source of low back pain. *European Spine Journal*. 16(10):1539-50, 2007 Oct.
  43. Hernandez-Palazon, J.; Falcon-Arana L.F., and Garcia-Martinez, M. Transient Postoperative Neurologic Deficit After Lumbar Laminectomy. *Anesthesia. and Analgesia*. 97(5)(pp 1527-1528), 2003.
  44. Hoffmann, K. Predicting exposure levels. *Epidemiology*. 16(1):134-5
  45. Hoffmann, K.; Chen J.-C.; Christiani D.C., and Ryan L.M. Predicting exposure levels. *Epidemiology*. 16(1)(pp 134-135), 2005.
  46. Holland N.R. and Prodan C.I. Peripheral neuropathy and "borderline" diabetes. *Journal of the American Board of Family Practice*. 17(2)(pp 127-130), 2004.
  47. Hooftman W.E.; van Poppel M.N.M.; van der Beek A.J.; Bongers P.M., and van Mechelen, W. Gender differences in the relations between work-related physical and psychosocial risk factors and musculoskeletal complaints. *Scandinavian Journal of Work, Environment and Health*. 30(4)(pp 261-278), 2004.
  48. Hudson, Z. Beijing 2008 beckons-let the politics begin. *Physical Therapy in Sport*. 9(2)(pp 55-56), 2008.
  49. Hulshof, C. T.; Verbeek, J. H.; Braam, I. T.; Bovenzi, M., and van Dijk, F. J. Evaluation of an occupational health intervention programme on whole-body vibration in forklift truck drivers: a controlled trial. *Occupational & Environmental Medicine*. 63(7):461-8, 2006 Jul.
  50. Ichihara, G.; Miller J.K.; Ziolkowska, A.; Itohara, S., and Takeuchi, Y. Neurological disorders in three workers exposed to 1-bromopropane. *Journal of Occupational Health*. 44(1)(pp 1-7), 2002.
  51. Issever, H.; Aksoy, C.; Sabuncu, H., and Karan, A. Vibration and its effects on the body. *Medical Principles and Practice*. 12(1)(pp 34-38), 2003.
  52. Iwamoto, J.; Takeda, T.; Sato, Y., and Uzawa, M. Effect of whole-body vibration exercise on lumbar bone mineral density, bone turnover, and chronic back pain in post-menopausal osteoporotic women treated with alendronate. *Aging-Clinical & Experimental Research*. 17(2):157-63, 2005 Apr.
  53. Izambert, O.; Mitton, D.; Thourot, M., and Lavaste, F. Dynamic stiffness and damping of human intervertebral disc using axial oscillatory displacement under a free mass system. *European Spine Journal*. 12(6):562-6, 2003 Dec.

54. Joubert D.M. and London, L. A cross-sectional study of back belt use and low back pain amongst forklift drivers. *International Journal of Industrial Ergonomics*. 37(6)(pp 505-513), 2007.
55. Kara, B.; Tulum, Z., and Acar, U. Functional results and the risk factors of reoperations after lumbar disc surgery. *European Spine Journal*. 14(1):43-8, 2005 Feb.
56. Katz J.N. and Harris M.B. Lumbar spinal stenosis. *New England Journal of Medicine*. 358(8)(pp 818-825+770), 2008.
57. Keller, T. S.; Colloca, C. J., and Beliveau, J. G. Force-deformation response of the lumbar spine: a sagittal plane model of posteroanterior manipulation and mobilization. *Clinical Biomechanics*. 17(3):185-96, 2002 Mar.
58. Koeda, Tomoko ; Ando, Takahiro ; Inoue, Takayuki ; Kamisaka, Kenta ; Tsukamoto, Shinya ; Torikawa, Takahiro ; Hirasawa, Jun ; Yamazaki, Makoto ; Ida, Kunio , and Mizumura, Kazue. A trial to evaluate experimentally induced delayed onset muscle soreness and its modulation by vibration. *Environmental Medicine (Nagoya)*. 47:26-30, December 2003.
59. Kong, W. Z. and Goel, V. K. Ability of the finite element models to predict response of the human spine to sinusoidal vertical vibration. *Spine*. 28(17):1961-7, 2003 Sep 1.
60. Kourtis, D.; Magnusson, M. L.; Smith, F.; Hadjipavlou, A., and Pope, M. H. Spine height and disc height changes as the effect of hyperextension using stadiometry and MRI. *Iowa Orthopaedic Journal*. 24:65-71, 2004.
61. Kuiper J.I.; Burdorf, A.; Frings-Dresen M.H.W.; Kuijer P.P.F.M.; Spreeuwers, D.; Lotters F.J.B., and Miedema H.S. Assessing the work-relatedness of nonspecific low-back pain. *Scandinavian Journal of Work, Environment and Health*. 31(3)(pp 237-243), 2005.
62. Kuisma, M.; Karppinen, J.; Haapea, M.; Niinimäki, J.; Ojala, R.; Heliovaara, M.; Korpelainen, R.; Kaikkonen, K.; Taimela, S.; Natri, A., and Tervonen, O. Are the determinants of vertebral endplate changes and severe disc degeneration in the lumbar spine the same? A magnetic resonance imaging study in middle-aged male workers. *BMC Musculoskeletal Disorders*. 9:51, 2008.
63. Kuisma, M.; Karppinen, J.; Niinimäki, J.; Ojala, R.; Haapea, M.; Heliovaara, M.; Korpelainen, R.; Taimela, S.; Natri, A., and Tervonen, O. Modic changes in endplates of lumbar vertebral bodies: prevalence and association with low back and sciatic pain among middle-aged male workers. *Spine*. 32(10):1116-22, 2007 May 1.
64. Kumar, S. Vibration in operating heavy haul trucks in overburden mining. *Applied Ergonomics*. 35(6):509-20, 2004 Nov.
65. Latronico, N.; Fassini, P.; Antonini, B., and Gasparotti, R. A pain in the neck. *Lancet*. 359(9313)(pp 1206), 2002.
66. Lawrence J.M.; Stroman P.W., and Kollias S.S. Functional magnetic resonance imaging of the human spinal cord during vibration stimulation of different dermatomes. *Neuroradiology*. 50(3)(pp 273-280), 2008.

67. LeBlanc A.D.; Spector E.R.; Evans H.J., and Sibonga J.D. Skeletal responses to space flight and the bed rest analog: A review. *Journal of Musculoskeletal Neuronal Interactions*. 7(1)(pp 33-47), 2007.
68. Lei, L.; Dempsey P.G.; Xu J.-G.; Ge L.-N., and Liang Y.-X. Risk factors for the prevalence of musculoskeletal disorders among chinese foundry workers. *International Journal of Industrial Ergonomics*. 35(3)(pp 197-204), 2005.
69. Leinonen, V.; Kankaanpaa, M.; Vanharanta, H.; Airaksinen, O., and Hanninen, O. Back and neck extensor loading and back pain provocation in urban bus drivers with and without low back pain. *Pathophysiology*. 12(4)(pp 249-255), 2005.
70. Lin, S. I. and Lin, R. M. Disability and walking capacity in patients with lumbar spinal stenosis: association with sensorimotor function, balance, and functional performance. *Journal of Orthopaedic & Sports Physical Therapy*. 35(4):220-6, 2005 Apr.
71. Lin, S. I. and Lin, R. M. Sensorimotor and balance function in older adults with lumbar nerve root compression. *Clinical Orthopaedics & Related Research*. (394):146-53, 2002 Jan.
72. Lin, S. I.; Lin, R. M., and Huang, L. W. Disability in patients with degenerative lumbar spinal stenosis. *Archives of Physical Medicine & Rehabilitation*. 87(9):1250-6, 2006 Sep.
73. Lis, A. M.; Black, K. M.; Korn, H., and Nordin, M. Association between sitting and occupational LBP. *European Spine Journal*. 16(2):283-98, 2007 Feb.
74. Lotters, F.; Burdorf, A.; Kuiper, J., and Miedema, H. Model for the work-relatedness of low-back pain. *Scandinavian Journal of Work, Environment and Health*. 29(6)(pp 431-440), 2003.
75. Lurie-Luke, E.; Neubauer, G.; Lindl, C.; Breitskreutz, H.; Fischer, P., and Hitzeroth, S. An exploratory workplace study to investigate the perceived value of continuous low-level heatwrap therapy in manual workers. *Occupational Medicine*. 53(3)(pp 173-178), 2003.
76. Lyons, J. Factors contributing to low back pain among professional drivers: a review of current literature and possible ergonomic controls. *Work*. 19(1):95-102, 2002.
77. Maikala, R. V. and Bhambhani, Y. N. In vivo lumbar erector spinae oxygenation and blood volume measurements in healthy men during seated whole-body vibration. *Experimental Physiology*. 91(5):853-66, 2006 Sep.
78. Makhsous, M.; Hendrix, R.; Crowther, Z.; Nam, E., and Lin, F. Reducing whole-body vibration and musculoskeletal injury with a new car seat design. *Ergonomics*. 48(9):1183-99, 2005 Jul 15.
79. Mansfield, N. J. Impedance methods (apparent mass, driving point mechanical impedance and absorbed power) for assessment of the biomechanical response of the seated person to whole-body vibration. *Industrial Health*. 43(3):378-89, 2005 Jul.
80. Mansfield, N. J. and Maeda, S. Comparison of the apparent mass of the seated human measured using random and sinusoidal vibration. *Industrial Health*. 43(1):233-40, 2005 Jan.
81. Mansour, M.; Spiering, S.; Lee, C.; Dathe, H.; Kalscheuer A.K.; Kubein-Meesenburg, D., and Nagerl,

- H. Evidence for IHA migration during axial rotation of a lumbar spine segment by using a novel high-resolution 6D kinematic tracking system. *Journal of Biomechanics*. 37(4)(pp 583-592), 2004.
82. Marchettini, P.; Marangoni, C.; Lacerenza, M., and Formaglio, F. The Lindblom roller. *European Journal of Pain*. 7(4)(pp 359-364), 2003.
83. Matsumoto, Y. and Griffin, M. J. Non-linear characteristics in the dynamic responses of seated subjects exposed to vertical whole-body vibration. *Journal of Biomechanical Engineering*. 124(5):527-32, 2002 Oct.
84. McCane, B.; King, T. I., and Abbott, J. H. Calculating the 2D motion of lumbar vertebrae using splines. *Journal of Biomechanics*. 39(14):2703-8, 2006.
85. Meyer N.L.; Shaw J.M.; Manore M.M.; Dolan S.H.; Subudhi A.W.; Shultz B.B., and Walker J.A. Bone mineral density of olympic-level female winter sport athletes. *Medicine and Science in Sports and Exercise*. 36(9)(pp 1594-1601), 2004.
86. Millichap, J. J.; Sy, B. T., and Leacock, R. O. Spinal cord infarction with multiple etiologic factors. *Journal of General Internal Medicine*. 22(1):151-4, 2007 Jan.
87. Minassian, K.; Persy, I.; Rattay, F.; Dimitrijevic, M. R.; Hofer, C., and Kern, H. Posterior root-muscle reflexes elicited by transcutaneous stimulation of the human lumbosacral cord. *Muscle & Nerve*. 35(3):327-36, 2007 Mar.
88. Okunribido O.O.; Magnusson, M., and Pope, M. Delivery drivers and low-back pain: A study of the exposures to posture demands, manual materials handling and whole-body vibration. *International Journal of Industrial Ergonomics*. 36(3)(pp 265-273), 2006.
89. Okunribido, O. O.; Shimbles, S. J.; Magnusson, M., and Pope, M. City bus driving and low back pain: a study of the exposures to posture demands, manual materials handling and whole-body vibration. *Applied Ergonomics*. 38(1):29-38, 2007 Jan.
90. Okunribido, O. O.; Magnusson, M. , and Pope, M. H. . The role of whole body vibration, posture and manual materials handling as risk factors for low back pain in occupational drivers. *Ergonomics*. 51(3):308-329, 2008.
91. Palmer, K. T.; Griffin, M. J.; Syddall, H. E.; Pannett, B.; Cooper, C., and Coggon, D. The relative importance of whole body vibration and occupational lifting as risk factors for low-back pain. *Occupational & Environmental Medicine*. 60(10):715-21, 2003 Oct.
92. Pelham, T. W.; White, H.; Holt, L. E., and Lee, S. W. The etiology of low back pain in military helicopter aviators: prevention and treatment. *Work*. 24(2):101-10, 2005.
93. Pope, M. H.; Goh, K. L., and Magnusson, M. L. Spine ergonomics. *Annual Review of Biomedical Engineering*. 4:49-68, 2002.
94. Punnett, L.; Pruss-Utun, A.; Nelson, D. I.; Fingerhut, M. A.; Leigh, J.; Tak, S., and Phillips, S. Estimating the global burden of low back pain attributable to combined occupational exposures. *American Journal of Industrial Medicine*. 48(6):459-69, 2005 Dec.

95. Qassem, W. Impulse response due to jumping on shoes of various stiffness and damping. *Bio-Medical Materials & Engineering*. 13(2):167-80, 2003.
96. Rahmatalla, S.; Xia, T.; Contratto, M.; Kopp, G.; Wilder, D.; Frey Law, L., and Ankrum, J. Three-dimensional motion capture protocol for seated operator in whole body vibration. *International Journal of Industrial Ergonomics*. 38(5-6)(pp 425-433), 2008.
97. Rehn, B.; Lundstrom, R.; Nilsson, L.; Liljelind, I., and Jarvholm, B. Variation in exposure to whole-body vibration for operators of forwarder vehicles - Aspects on measurement strategies and prevention. *International Journal of Industrial Ergonomics*. 35(9)(pp 831-842), 2005.
98. Rittweger, J.; Just, K.; Kautzsch, K.; Reeg, P., and Felsenberg, D. Treatment of chronic lower back pain with lumbar extension and whole-body vibration exercise: a randomized controlled trial. *Spine*. 27(17):1829-34, 2002 Sep 1.
99. Robb, M. J. and Mansfield, N. J. Self-reported musculoskeletal problems amongst professional truck drivers. *Ergonomics*. 50(6):814-27, 2007 Jun.
100. Ross, J. K.; Bereznic, D. E., and McGill, S. M. Determining cavitation location during lumbar and thoracic spinal manipulation: is spinal manipulation accurate and specific? *Spine*. 29(13):1452-7, 2004 Jul 1.
101. Rothenberg, S.; Belok, S., and Fields J.Z. The Maharishi Vedic Medicine Chronic Disorders Program: Introduction and case histories. *Alternative and Complementary Therapies*. 9(4)(pp 183-190), 2003.
102. Rubin, C.; Pope, M.; Fritton, J. C.; Magnusson, M.; Hansson, T., and McLeod, K. Transmissibility of 15-hertz to 35-hertz vibrations to the human hip and lumbar spine: determining the physiologic feasibility of delivering low-level anabolic mechanical stimuli to skeletal regions at greatest risk of fracture because of osteoporosis. *Spine*. 28(23):2621-7, 2003 Dec 1.
103. Rubin, C.; Recker, R.; Cullen, D.; Ryaby, J.; McCabe, J., and McLeod, K. Prevention of postmenopausal bone loss by a low-magnitude, high-frequency mechanical stimuli: a clinical trial assessing compliance, efficacy, and safety. *Journal of Bone & Mineral Research*. 19(3):343-51, 2004 Mar.
104. Rupa, V. Persistent vertigo following particle repositioning maneuvers: an analysis of causes. *Archives of Otolaryngology -- Head & Neck Surgery*. 130(4):436-9, 2004 Apr.
105. Sanya, A. O. and Ogwumike, O. O. Low back pain prevalence amongst industrial workers in the private sector in Oyo State, Nigeria. *African Journal of Medicine & Medical Sciences*. 34(3):245-9, 2005 Sep.
106. Schiff, E. and Eisenberg, E. Can quantitative sensory testing predict the outcome of epidural steroid injections in sciatica? A preliminary study. *Anesthesia & Analgesia*. 97(3):828-32, 2003 Sep.
107. Semler, O.; Fricke, O.; Vezyroglou, K.; Stark, C., and Schoenau, E. Preliminary results on the mobility after whole body vibration in immobilized children and adolescents. *Journal of Musculoskeletal Neuronal Interactions*. 7(1):77-81, 2007 Jan-Mar.

108. Shelerud R.A. Epidemiology of Occupational Low Back Pain. *Clinics in Occupational and Environmental Medicine*. 5(3)(pp 501-528), 2006.
109. Shih T.-S.; Chang H.-Y.; Yeh W.-Y.; Su T.-S.; Huang Y.-S.; Chang C.-P.; Ho J.-J., and Guo Y.L. Occupational Health Research in Taiwan. *Industrial Health*. 42(2)(pp 124-134), 2004.
110. Sjolie, A. N. Active or passive journeys and low back pain in adolescents. *European Spine Journal*. 12(6):581-8, 2003 Dec.
111. Solecki, L. Preliminary recognition of whole body vibration risk in private farmers' working environment. *Annals of Agricultural & Environmental Medicine*. 14(2):299-304, 2007 Dec.
112. Stein, G. J.; Mucka, P.; Chmurny, R.; Hinz, B., and Bluthner, R. Measurement and modelling of x-direction apparent mass of the seated human body-cushioned seat system. *Journal of Biomechanics*. 40(7):1493-503, 2007.
113. Stojic A.S.; Mekhail, T., and Tsao B.E. Leg weakness in a 66-year-old woman: A common presentation of an uncommon disease. *Cleveland Clinic Journal of Medicine*. 74(1)(pp 23-34), 2007.
114. Sutinen, P.; Toppila, E.; Starck, J.; Brammer, A.; Zou, J., and Pyykko, I. Hand-arm vibration syndrome with use of anti-vibration chain saws: 19-year follow-up study of forestry workers. *International Archives of Occupational & Environmental Health*. 79(8):665-71, 2006 Sep.
115. Tamrin, S. B.; Yokoyama, K.; Jalaludin, J.; Aziz, N. A.; Jemoin, N.; Nordin, R.; Li Naing, A.; Abdullah, Y., and Abdullah, M. The Association between risk factors and low back pain among commercial vehicle drivers in peninsular Malaysia: a preliminary result. *Industrial Health*. 45(2):268-78, 2007 Apr.
116. Tanaka, A.; Nakazawa, S.; Nishikawa, K., and Saito, S. Spinal cord infarction following multiple epidural injections. *Pain Clinic*. 16(2)(pp 207-211), 2004.
117. Tiemessen, I. J.; Hulshof, C. T., and Frings-Dresen, M. H. The development of an intervention programme to reduce whole-body vibration exposure at work induced by a change in behaviour: a study protocol. *BMC Public Health*. 7:329, 2007.
118. Tiemessen I.J.; Hulshof C.T.J., and Frings-Dresen M.H.W. An overview of strategies to reduce whole-body vibration exposure on drivers: A systematic review. *International Journal of Industrial Ergonomics*. 37(3)(pp 245-256), 2007.
119. Torvinen, S.; Kannus, P.; Sievanen, H.; Jarvinen, T. A.; Pasanen, M.; Kontulainen, S.; Nenonen, A.; Jarvinen, T. L.; Paakkala, T.; Jarvinen, M., and Vuori, I. Effect of 8-month vertical whole body vibration on bone, muscle performance, and body balance: a randomized controlled study. *Journal of Bone & Mineral Research*. 18(5):876-84, 2003 May.
120. Verver, M. M.; van Hoof, J.; Oomens, C. W.; van de Wouw, N., and Wismans, J. S. Estimation of spinal loading in vertical vibrations by numerical simulation. *Clinical Biomechanics*. 18(9):800-11, 2003 Nov.

121. Viswanathan, M.; Jorgensen M.J., and Kittusamy N.K. Field evaluation of a continuous passive lumbar motion system among operators of earthmoving equipment. *International Journal of Industrial Ergonomics*. 36(7)(pp 651-659), 2006.
122. Vlaanderen, E.; Conza, N. E.; Snijders, C. J.; Bouakaz, A., and De Jong, N. Low back pain, the stiffness of the sacroiliac joint: a new method using ultrasound. *Ultrasound in Medicine & Biology*. 31(1):39-44, 2005 Jan.
123. Walker-Bone, K. and Palmer, K. T. Musculoskeletal disorders in farmers and farm workers. *Occupational Medicine (Oxford)*. 52(8):441-50, 2002 Dec.
124. Waters, T.; Genaidy, A.; Viruet H.B., and Makola, M. The impact of operating heavy equipment vehicles on lower back disorders. *Ergonomics*. 51(5)(pp 602-636), 2008.
125. Waters, T.; Rauche, C.; Genaidy, A., and Rashed, T. A new framework for evaluating potential risk of back disorders due to whole body vibration and repeated mechanical shock. *Ergonomics*. 50(3):379-95, 2007 Mar.
126. Watters, M. R.; Poff, P. W.; Shiramizu, B. T.; Holck, P. S.; Fast, K. M.; Shikuma, C. M., and Valcour, V. G. Symptomatic distal sensory polyneuropathy in HIV after age 50. *Neurology*. 62(8):1378-83, 2004 Apr 27.
127. Wells, R.; Van Eerd, D., and Hagg, G. Mechanical exposure concepts using force as the agent. *Scandinavian Journal of Work, Environment and Health*. 30(3)(pp 179-190), 2004.
128. Williams F.H.; Johns J.S.; Weiss J.M.; Weiss L.D.; Kim C.-T.; Strommen J.A., and Rashbaum I.G. Neuromuscular rehabilitation and electrodiagnosis. 1. Mononeuropathy. *Archives of Physical Medicine and Rehabilitation*. 86(3 SUPPL. 2)(pp S3-S10), 2005.
129. Yoshimura, T.; Nakai, K., and Tamaoki, G. Multi-body dynamics modelling of seated human body under exposure to whole-body vibration. *Industrial Health*. 43(3):441-7, 2005 Jul.
130. Younes, M.; Bejia, I.; Aguir, Z.; Letaief, M.; Hassen-Zrouer, S.; Touzi, M., and Bergaoui, N. Prevalence and risk factors of disk-related sciatica in an urban population in Tunisia. *Joint Bone Spine*. 73(5)(pp 538-542), 2006.
131. Martin CW. Evidence Based Practice Group (2006). Causation in epidemiology. Toward developing criteria in assessing causation in compensation setting. Downloaded from <http://www.worksafefbc.com/evidence> in June, 2008.
132. Hill AB. The Environment and Disease: Association or Causation? President's Address. *Proceedings of the Royal Society of Medicine*. 1965;58:295-300. Downloaded from <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=1898525> in June 2008.
133. Chambers K. (2001). Whole body vibration and low back pain. Literature review. Downloaded from [http://www.worksafefbc.com/health\\_care\\_providers/Assets/PDF/whole\\_body\\_vibration\\_low\\_back\\_pain.pdf](http://www.worksafefbc.com/health_care_providers/Assets/PDF/whole_body_vibration_low_back_pain.pdf) in June, 2008.

## Appendix 1

### WorkSafeBC - Evidence-Based Practice Group Levels of Evidence <sup>(adapted from 1,2,3,4)</sup>

<b>1</b>	Evidence from at least 1 properly randomized controlled trial (RCT) or systematic review of RCTs.
<b>2</b>	Evidence from well-designed controlled trials without randomization or systematic reviews of observational studies.
<b>3</b>	Evidence from well-designed cohort or case-control analytic studies, preferably from more than 1 centre or research group.
<b>4</b>	Evidence from comparisons between times or places with or without the intervention. Dramatic results in uncontrolled experiments could also be included here.
<b>5</b>	Opinions of respected authorities, based on clinical experience, descriptive studies or reports of expert committees.

### References

1. Canadian Task Force on the Periodic Health Examination: The periodic health examination. CMAJ. 1979;121:1193-1254.
2. Houston TP, Elster AB, Davis RM et al. The US Preventive Services Task Force Guide to Clinical Preventive Services, Second Edition. AMA Council on Scientific Affairs. American Journal of Preventive Medicine. May 1998;14(4):374-376.
3. Scottish Intercollegiate Guidelines Network (2001). SIGN 50: a guideline developers' handbook. SIGN. Edinburgh.
4. Canadian Task Force on Preventive Health Care. New grades for recommendations from the Canadian Task Force on Preventive Health Care. CMAJ. Aug 5, 2003;169(3):207-208.